



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

1 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionery Products	E. coli.	IS 5887 (Part 1)
2	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionery Products	Salmonella	IS 5887 (Part 3)
3	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Bakery & confectionery Products	Total Plate count	IS 5402
4	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Bakery & confectionery Products	Yeast & Mould	IS 5403
5	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals,Pulses & Cereal Products	Total Plate count	IS 5402
6	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals,Pulses & Cereal Products	E coli	IS 5887 (Part 1)
7	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals,Pulses & Cereal Products	Salmonella	IS 5887 (Part 3)
8	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Cereals,Pulses & Cereal Products	Yeast & Mould	IS 5403
9	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	cooked food	E coli	IS 5887 (Part 1)
10	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	cooked food	Salmonella	IS 5887 (Part 3)
11	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	cooked food	Total Plate count	IS 5402
12	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	cooked food	Yeast & Mould	IS 5403
13	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Herbs,spices & condiments	E coli	IS 5887 (Part 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

2 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
14	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Herbs,Spices & condiments	Salmonella	IS 5887 (Part 3)
15	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Herbs,Spices & condiments	Total Plate count	IS 5402
16	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Herbs,spices & condiments	Yeast & Mould	IS 5403
17	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk & Dairy Products	E coli	IS 5887 (Part I)
18	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk & Dairy Products	Salmonella	IS 5887 (Part 3)
19	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk & Dairy Products	Total Plate count	IS 5402
20	BIOLOGICAL- FOOD AND AGRICULTURAL PRODUCTS	Milk & Dairy Products	Yeast & Mould	IS 5403
21	BIOLOGICAL- WATER	Drinking Water	Total coliform	IS 15185
22	BIOLOGICAL- WATER	Drinking water,ground water ,surface water	E coli	IS 15185
23	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air quality monitoring	Lead	IS 5182 (Part 22)
24	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Quality Monitoring	Nickel	IS 5182 (Part 26)
25	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Quality Monitoring	NO2	IS 5182 (Part 6)
26	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Quality Monitoring	Particulate Matter 10	IS 5182 (Part 23)
27	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Quality Monitoring	Particulate Matter 2.5	IS 5182 (Part 24)
28	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air Quality Monitoring	SO2	IS 5182 (Part 2)
29	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta, Maida, Suji, Rawa, corn flour, custard powder	Ash	FSSAI Manual of Methods of Analysis of Foods



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

3 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
30	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta, Maida, Suji, Rawa, corn flour, custard powder	Crude Fibre	FSSAI Manual of Methods of Analysis of Foods: 2016
31	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta, Maida, Suji, Rawa, corn flour, custard powder	Moisture	FSSAI Manual of Methods of Analysis of Foods
32	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Atta, Maida, Suji, Rawa, corn flour, custard powder	Protein	IS 7219
33	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cakes, chips, wafers, pastry, brownie, muffin	Ash	IS 12711
34	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cakes, chips, wafers, pastry, brownie, muffin	Crude Fibre	IS 12711
35	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cakes, chips, wafers, pastry, brownie, muffin	Fat	IS 12711
36	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cakes, chips, wafers, pastry, brownie, muffin	Moisture	IS 12711
37	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Biscuits, cakes, chips, wafers, pastry, brownie, muffin	Protein	IS 7219
38	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Liquid Milk: Raw/Sterilized/Pasteurized/Flavored/Toned/Double Toned/Standardized/ Recombined/Condensed/Sweetened/Full cream/Skimmed/Evaporated/Sweetened Condensed	Adultrant (Anionic detergent)	FSSAI Manual for analysis of milk and milk product
39	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Liquid Milk: Raw/Sterilized/Pasteurized/Flavored/Toned/Double Toned/Standardized/ Recombined/Condensed/Sweetened/Full cream/Skimmed/Evaporated/Sweetened Condensed	Adultrant(Hydrogen Peroxide)	FSSAI Manual for analysis of milk and milk products
40	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Liquid Milk: Raw/Sterilized/Pasteurized/Flavored/Toned/Double Toned/Standardized/ Recombined/Condensed/Sweetened/Full cream/Skimmed/Evaporated/Sweetened Condensed	Adultrant(Neutralizer)	FSSAI Manual for analysis of milk and milk products



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

4 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
41	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Liquid Milk: Raw/Sterilized/Pasteurized/Flavored/Toned/Double Toned/Standardized/ Recombined/Condensed/Sweetened/Full cream/Skimmed/Evaporated/Sweetened Condensed	Adultrant(Starch)	FSSAI Manual for method for analysis of milk and milk product
42	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Liquid Milk: Raw/Sterilized/Pasteurized/Flavored/Toned/Double Toned/Standardized/ Recombined/Condensed/Sweetened/Full cream/Skimmed/Evaporated/Sweetened Condensed	Adultrants (Added Urea)	FSSAI manual for analysis of milk and milk product
43	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Whole Milk Powder	Ash	IS 1165
44	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Whole Milk Powder	Fat	IS 1224 (Part II)
45	CHEMICAL- FOOD & AGRICULTURAL PRODUCTS	Whole Milk Powder	Moisture	FSSAI manual for analysis of milk and milk products
46	CHEMICAL- POLLUTION & ENVIRONMENT	Effluent Water	Magnessium	APHA 3500 Mg B 3-86 23rd Ed.
47	CHEMICAL- POLLUTION & ENVIRONMENT	Effluent Water	Total Hardness	APHA 2340 C,2-48 to 2-50 23rd Ed.
48	CHEMICAL- POLLUTION & ENVIRONMENT	Effluent/sewage	Boron	APHA 4500 B 4-25 to 4-26 23rd Ed.
49	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Ammonical Nitrogen as NH ₃	APHA 4500 NH ₃ F, 4-115 to 4-119 to 4-120, 23rd Ed.
50	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	IS 3025 (Part 44), Rev 1
51	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Cadmium as Cd	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
52	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Chemical Oxygen Demand (COD)	APHA 5220 C,5-20 to 5-21 23rd Ed.
53	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Chloride as Cl	APHA 4500 Cl-, B, 4-75 to 4-76, 23rd Ed.
54	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Chromium Hexavalent as cr ⁶⁺	APHA 3500 Cr B 3-71 , 23rd Ed.
55	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Copper as Cu	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

5 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
56	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Dissolved Oxygen	IS 3025 (Part 38)
57	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Fluoride as F	APHA 4500-F- D, 4-90 to 4-91, 23rd Ed.
58	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Iron as Fe	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
59	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Lead as Pb	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
60	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Manganese as Mn	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
61	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Nickel as Ni	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
62	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Nitrate as NO ₃	APHA 4500 NO ₃ -B , 4-127, 23rd Ed.
63	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Nitrite as NO ₂	IS 3025 (Part 34)
64	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Oil & Grease	APHA 5520 B ,5-42 to 5-43 23rd Ed.
65	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	pH	APHA 4500 H+, A, 4-95, 23rd Ed.
66	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Phosphate as PO ₄	APHA 4500 P-C ,4-162 , 23rd Ed.
67	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Potassium as K	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
68	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Sodium as Na	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
69	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Sulphate as SO ₄	APHA 4500-SO ₄ -- E, 4-199 to 4-200, 23rd Ed.
70	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Total Chromium as Cr	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
71	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Total Dissolved Solids	APHA 2540 C, 2-69 to 2-70 , 23rd Ed.
72	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Total Solids	APHA 2540 B, 2-64, 23rd Ed.
73	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Total suspended Solids	APHA 2540 D ,2-70 to 2-71 23rd Ed.
74	CHEMICAL- POLLUTION & ENVIRONMENT	Liquid Effluent, Waste water, Sewage water	Zinc as Zn	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

6 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
75	CHEMICAL- POLLUTION & ENVIRONMENT	soil	Available Boron	Laboratory Methods for Analysis of Soils Irrigation Water and Plants, Page No. 145-149
76	CHEMICAL- POLLUTION & ENVIRONMENT	soil	available phosphorous	Laboratory Methods for Analysis of Soils Irrigation Water and Plants, Page No. 87-89
77	CHEMICAL- POLLUTION & ENVIRONMENT	soil	Electrical Conductivity	IS 14767
78	CHEMICAL- POLLUTION & ENVIRONMENT	soil	Moisture	IS 2720 (Part 2)
79	CHEMICAL- POLLUTION & ENVIRONMENT	soil	Organic Matter	IS 2720 (Part 22)
80	CHEMICAL- POLLUTION & ENVIRONMENT	soil	pH	IS 2720 (Part 26)
81	CHEMICAL- POLLUTION & ENVIRONMENT	waste water	calcium	APHA 3500 Ca B,3-69 to 3-70 23rd Ed.
82	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water	Chemical Oxygen Demand	IS 3025 (Part 58)
83	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water(Effluent/Sewage)	Arsenic	APHA 3114 C,3-38 to 3-39 23rd Ed.
84	CHEMICAL- RESIDUES IN WATER	Drinking water ,Ground Water,Surface Water	Copper as Cu	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
85	CHEMICAL- RESIDUES IN WATER	Drinking Water, Ground water, Surface Water	Iron as Fe	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
86	CHEMICAL- RESIDUES IN WATER	Drinking Water, Ground Water,Surface Water	Zinc as Zn	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
87	CHEMICAL- RESIDUES IN WATER	Drinking water,Ground water,surface water	Cadmium as Cd	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
88	CHEMICAL- RESIDUES IN WATER	Drinking Water,Ground Water,Surface Water	Lead as Pb	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
89	CHEMICAL- RESIDUES IN WATER	Drinking Water,Ground Water,Surface Water	Manganese as Mn	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
90	CHEMICAL- RESIDUES IN WATER	Drinking Water,Ground Water,Surface Water	Nickel as Ni	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
91	CHEMICAL- RESIDUES IN WATER	Drinking Water,Ground Water,Surface Water	Potassium as K	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

7 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
92	CHEMICAL- RESIDUES IN WATER	Drinking Water,Ground Water,Surface Water	Sodium as Na	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
93	CHEMICAL- RESIDUES IN WATER	Drinking Water,Ground Water,Surface Water	Total Chromium as Cr	APHA 3111 B, 3-18 to 3-21, 23rd Ed. (AAS)
94	CHEMICAL- WATER	Drinking Water	Colour	APHA 2120 B,2-6 to 2-7, 23rd Ed.
95	CHEMICAL- WATER	Drinking Water	odour	IS 3025 Part 5(Rev 1)
96	CHEMICAL- WATER	Drinking Water	pH	APHA 4500 H+ A 4-95 23rd Ed.
97	CHEMICAL- WATER	Drinking Water	sulfide	APHA 4500 S ₂ ,F,4-178, 23rd Ed.
98	CHEMICAL- WATER	Drinking Water	Taste	IS 3025 (Part 7) Rev 1
99	CHEMICAL- WATER	Drinking Water	Temperature	APHA 2550 B 2-74 23rd Ed.
100	CHEMICAL- WATER	Drinking Water	Total suspended solids	APHA 2540 D,2-70 to 2-71 23rd Ed.
101	CHEMICAL- WATER	Drinking Water /Ground Water/Surface Water	Boron	APHA 4500 B,4-25 to 4-26 , 23rd Ed.
102	CHEMICAL- WATER	Drinking Water /Ground Water/Surface Water	Oil and Grease	APHA 5520 B,5-42 to 5-43 23rd Ed.
103	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Acidity as CaCO ₃	IS 3025 (Part 22) Rev.1
104	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Ammonical Nitrogen as NH ₃	APHA 4500 NH ₃ F, 4-119 to 4-120, 23rd Ed.
105	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	IS 3025 (Part 44) Rev.1
106	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Calcium as Ca	APHA 3500 Ca B, 3-69 to 3-70, 23rd Ed.
107	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Chemical Oxygen Demand (COD)	APHA 5220 C ,5-20 to 5-21 23rd Ed.
108	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Chloride as Cl	APHA 4500 Cl-, B, 4-75 to 4-76, 23rd Ed.
109	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Chromium Hexavalent as Cr ⁶⁺	APHA 3500 Cr B, 3-71, 23rd Ed.
110	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Dissolved Oxygen	IS 3025 (Part 38)
111	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Electrical Conductivity	APHA 2510 B, 2-56 to 2-58, 23rd Ed.
112	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Fluoride as F	APHA 4500-F- D, 4-90 to 4-91, 23rd Ed.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

MITCON CONSULTANCY & ENGINEERING SERVICES LTD(ENVIRONMENTAL LABORATORY),
SURVEY NO 143, AGRICULTURE COLLEGE CAMPUS, NEXT TO DIC OFFICE, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5108

Page No

8 of 8

Validity

30/12/2022 to 29/12/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
113	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Magnesium as Mg	APHA 3500 Mg B, 3-86, 23rd Ed.
114	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Nitrate as NO ₃	APHA 4500 NO ₃ B ,4-127 23rd Ed.
115	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Nitrite as NO ₂	IS 3025 (Part 34) Cl. 3, Rev.1
116	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Phosphate as PO ₄	APHA 4500 P-C ,4-162 23rd Ed.
117	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Silica as Si	APHA 4500 SiO ₂ C, 4-175 to 4-177, 23rd Ed.
118	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Sulphate as SO ₄	APHA 4500-SO ₄ -- E, 4-199 to 4-200, 23rd Ed.
119	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Total Dissolved Solids	APHA 2540 C, 2-69 to 2-70, 23rd Ed.
120	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Total Hardness as CaCO ₃	APHA 2340 C, 2-48 to 2-50, 23rd Ed.
121	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Total Solids	APHA 2540 B, 2-68 to 2-69, 23rd Ed.
122	CHEMICAL- WATER	Drinking water, Ground water, Surface water	Turbidity	IS 3025 (Part 10) Cl. 1
123	CHEMICAL- WATER	Drinking Water,Ground Water,Surface Water	Total Alkalinity as CaCO ₃	APHA 2320 B, 2-37 to 2-39, 23rd Ed.
124	CHEMICAL- WATER	Drinking Water/Ground water/surface water	Arsenic	APHA 3114 C 3-38 to 3-39, 23rd Ed.
125	CHEMICAL- WATER	Drinking water/ground water/surface water	Total suspended solids	IS 3025 (Part 17)